

# WEST

[Help](#)
[Logout](#)
[Interrupt](#)
[Main Menu](#)
[Search Form](#)
[Posting Counts](#)
[Show S Numbers](#)
[Edit S Numbers](#)
[Preferences](#)
[Cases](#)

## Search Results -

Terms	Documents
L6 not L4	10

Database:

US Patents Full-Text Database  
 US Pre-Grant Publication Full-Text Database  
 JPO Abstracts Database  
 EPO Abstracts Database  
**Derwent World Patents Index**  
 IBM Technical Disclosure Bulletins

Search:

L7

[Refine Search](#)
[Recall Text](#)
[Clear](#)

## Search History

 DATE: Saturday, August 24, 2002    [Printable Copy](#)    [Create Case](#)

### Set Name Query

side by side

### Hit Count Set Name

result set

DB=DWPI; PLUR=YES; OP=ADJ

<u>L7</u>	L6 not L4	10	<u>L7</u>
<u>L6</u>	L2 and (\$4tetrafluoroethylene or PTFE or teflon)	10	<u>L6</u>
<u>L5</u>	L4 and (\$4tetrafluoroethylene or PTFE or teflon)	0	<u>L5</u>
<u>L4</u>	L2 and (water\$5 or water resist\$5)	46	<u>L4</u>
<u>L3</u>	L2 and leak	1	<u>L3</u>
<u>L2</u>	L1 and filler	271	<u>L2</u>
<u>L1</u>	(cable with jacket) or (cable with cover)	12151	<u>L1</u>

END OF SEARCH HISTORY

**WEST**[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show \\$ Numbers](#)[Edit \\$ Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Terms	Documents
L2 and leak	1

**Database:**

US Patents Full-Text Database	▲
US Pre-Grant Publication Full-Text Database	
JPO Abstracts Database	
EPO Abstracts Database	
Derwent World Patents Index	
IBM Technical Disclosure Bulletins	▼

**Search:**

L3	▲
	▼

[Refine Search](#)[Recall Text](#) ◀▶[Clear](#)**Search History****DATE:** Saturday, August 24, 2002    [Printable Copy](#)    [Create Case](#)**Set Name   Query**

side by side

**Hit Count   Set Name**

result set

*DB=DWPI; PLUR=YES; OP=ADJ*

<u>L3</u>	L2 and leak	1	<u>L3</u>
<u>L2</u>	L1 and filler	271	<u>L2</u>
<u>L1</u>	(cable with jacket) or (cable with cover)	12151	<u>L1</u>

END OF SEARCH HISTORY

**WEST**[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Terms	Documents
L2 and (water\$5 or water resist\$5)	46

**Database:**

US Patents Full-Text Database  
US Pre-Grant Publication Full-Text Database  
JPO Abstracts Database  
EPO Abstracts Database  
Derwent World Patents Index  
IBM Technical Disclosure Bulletins

**Search:**

L4

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History****DATE:** Saturday, August 24, 2002   [Printable Copy](#)   [Create Case](#)**Set Name   Query**

side by side

**Hit Count   Set Name**

result set

*DB=DWPI; PLUR=YES; OP=ADJ*

<u>L4</u>	L2 and (water\$5 or water resist\$5)	46	<u>L4</u>
<u>L3</u>	L2 and leak	1	<u>L3</u>
<u>L2</u>	L1 and filler	271	<u>L2</u>
<u>L1</u>	(cable with jacket) or (cable with cover)	12151	<u>L1</u>

END OF SEARCH HISTORY